





'C' HANDLE



SEC.NO.	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WEIGHT RANGE Kg/12'
89231	142.00	33.00	104.00	28.00	2.00	2.00	4.000 TO 4.300
89232	120.00	33.00	82.00	28.00	1.70	1.70	3.100 TO 3.400
89262	125.00	36.00	83.00	36.00	3.80	3.80	6.900 TO 7.100
89263	143.00	36.00	99.00	36.00	4.20	4.20	7.900 TO 8.100
89296	120.00	33.00	82.00	28.00	2.73	2.55	4.300 TO 4.500
89297	142.00	33.00	104.00	28.00	2.48	2.48	4.400 TO 4.800
89324/L	122.00	33.00	82.00	27.00	3.60	3.60	5.250 TO 5.600
89324/H	122.00	33.00	82.00	27.00	3.80	3.80	5.600 TO 5.900
89325/L	142.00	33.00	100.00	28.00	3.70	3.70	6.100 TO 6.400
89325/H	142.00	33.00	100.00	28.00	3.90	3.90	6.500 TO 6.700
89326	125.00	35.00	83.00	33.00	3.95	3.95	6.200 TO 6.400
89327	145.00	35.00	103.00	33.00	3.95	3.95	7.000 TO 7.200
6332/L	141.50	37.00	97.50	34.00	3.45	3.45	6.800 TO 7.000
6332/H	141.50	37.00	97.50	34.00	3.65	3.65	7.00 TO 7.400
6333/L	125.00	37.00	81.00	29.00	3.05	3.05	5.100 TO 5.300
6333/H	125.00	37.00	81.00	29.00	3.20	3.20	5.300 TO 5.600
6334/L	142.00	37.00	98.00	29.00	3.35	3.35	6.000 TO 6.200
6334/H	142.00	37.00	98.00	29.00	3.50	3.50	6.200 TO 6.500
6335/L	127.00	37.00	82.50	34.00	3.30	3.30	6.000 TO 6.200
6335/EL	127.00	37.00	83.00	34.00	3.20	3.20	5.800 TO 6.100



'C' HANDLE




SEC.NO.	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WEIGHT RANGE Kg/12'
6335/H	127.00	37.00	83.00	34.00	3.45	3.45	6.200 TO 6.600
6336/L	121.00	33.50	81.00	27.00	2.90	2.90	4.450 TO 4.650
6336/H	121.00	33.50	81.00	27.00	3.05	3.05	4.650 TO 4.950
6337/L	140.00	31.70	98.50	27.00	2.80	2.80	5.100 TO 5.300
6337/H	140.00	31.70	98.50	27.00	2.95	2.95	5.300 TO 5.600
6338	100.00	28.00	65.00	25.00	1.85	1.85	2.700 TO 2.900
6339	118.60	33.00	81.00	27.30	2.40	2.40	3.900 TO 4.200
6340	141.00	33.00	104.00	27.80	2.25	2.50	4.400 TO 4.600
6341	100.60	28.00	65.00	28.00	3.00	3.18	3.900 TO 4.100
6342	140.00	32.00	98.00	27.50	2.00	2.00	3.700 TO 4.000
6343	120.00	33.00	81.00	25.00	1.70	1.70	2.900 TO 3.100
6348	122.00	34.00	82.00	29.50	2.90	2.90	4.800 TO 5.100
6349	142.00	34.00	98.00	29.50	3.00	3.00	5.600 TO 5.900
6350	98.00	28.00	65.00	23.00	1.65	1.65	2.400 TO 2.600
6351	118.60	33.00	81.00	27.00	2.30	2.30	3.600 TO 3.900
6357	100.60	28.00	65.00	28.00	2.60	2.60	3.500 TO 3.700



MAAN ALUMINIUM LTD.

METRO HANDLE



SEC.NO.	Amm	Bmm	Cmm	Dmm	Tmm	Emm	WEIGHT RANGE Kg/12'
6358	127.00	28.60	89.00	19.00	3.00	5.00	6.000 TO 6.300
6359	150.00	28.00	112.00	19.00	3.30	5.00	6.500 TO 6.800