




MAAN ALUMINIUM LTD.

CHANNEL EQUAL THICKNESS




SEC.NO.	SECTION SIZE (IN MM.)			WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T		
3100	9.52	9.52	0.80	0.063	0.215 TO 0.248
3101	12.70	12.70	0.80	0.084	0.285 TO 0.328
3103	75.00	30.00	3.00	1.050	3.572 TO 4.109
3105	40.00	20.00	1.50	0.317	1.078 TO 1.240
3106	25.00	12.00	2.20	0.270	0.918 TO 1.056
3107	15.00	10.00	1.50	0.135	0.458 TO 0.527
3111	40.00	6.50	1.00	0.143	0.485 TO 0.559
3112	100.00	30.00	1.10	0.474	1.611 TO 1.854
3113	9.50	16.00	1.00	0.112	0.380 TO 0.437
3115	30.00	40.00	3.00	0.847	2.883 TO 3.317
3116	25.00	50.00	3.00	0.969	3.296 TO 3.792
3117	100.00	25.00	2.00	0.793	2.699 TO 3.105
3118	30.00	30.00	3.00	0.685	2.332 TO 2.683
3119	20.00	30.00	1.50	0.317	1.078 TO 1.240
3121	45.00	25.00	2.00	0.496	1.689 TO 1.943
3123	60.00	40.00	4.00	1.431	4.867 TO 5.599
3124	25.00	20.00	2.00	0.334	1.138 TO 1.309
3125	18.00	18.00	2.00	0.275	0.936 TO 1.076
3127	40.00	40.00	3.00	0.928	3.158 TO 3.634
3129	19.00	19.00	1.10	0.168	0.571 TO 0.657
3130	19.00	10.00	1.10	0.114	0.389 TO 0.447
3132	25.40	25.40	3.20	0.608	2.069 TO 2.380
3133	50.80	25.40	3.18	0.823	2.799 TO 3.220
3134	50.80	50.80	3.18	1.259	4.283 TO 4.927



MAAN ALUMINIUM LTD.

CHANNEL EQUAL THICKNESS




SEC.NO.	SECTION SIZE (IN MM.)			WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T		
3135	12.70	12.70	1.60	0.156	0.530 TO 0.610
3136	19.05	19.05	1.60	0.238	0.810 TO 0.932
3137	22.00	22.00	1.20	0.211	0.718 TO 0.826
3138	15.00	18.00	1.20	0.162	0.553 TO 0.636
3139	76.20	50.80	6.35	2.836	9.647 TO 11.099
3140	19.05	19.05	3.17	0.440	1.496 TO 1.722
3142	38.10	19.10	3.20	0.609	2.072 TO 2.383
3143	21.50	12.00	1.25	0.150	0.511 TO 0.588
3147	38.10	25.40	3.17	0.712	2.421 TO 2.785
3148	25.00	19.00	3.00	0.467	1.588 TO 1.827
3152	25.40	50.80	3.18	1.041	3.541 TO 4.074
3154	50.80	50.80	6.35	2.400	8.165 TO 9.394
3155	9.90	12.70	1.57	0.141	0.481 TO 0.553
3156	13.08	12.70	1.57	0.155	0.527 TO 0.606
3157	16.28	12.70	1.57	0.168	0.573 TO 0.659
3158	19.45	14.27	1.57	0.195	0.664 TO 0.764
3159	22.60	14.27	1.57	0.208	0.709 TO 0.816
3160	31.75	12.70	3.18	0.440	1.498 TO 1.724
3161	31.75	31.75	3.18	0.767	2.610 TO 3.002
3162	19.05	12.70	3.18	0.332	1.128 TO 1.298
3163	60.00	40.00	3.00	1.089	3.706 TO 4.264
3164	50.00	30.00	4.00	1.107	3.764 TO 4.331



MAAN ALUMINIUM LTD.

CHANNEL EQUAL THICKNESS RADIUS




SEC.NO.	SECTION SIZE (IN MM.)					WEIGHT Kg/Mtr	WEIGHT RANGE (Kg/ 12')
	A	B	T	R	r		
3201	32.00	20.00	2.50	5.00	2.500	0.435	1.480 TO 1.700
3203	52.00	20.00	2.50	5.00	2.50	0.564	1.920 TO 2.210
3204	52.00	48.00	2.50	5.00	2.50	0.945	3.220 TO 3.700
3205	44.00	20.00	2.50	5.00	2.50	0.513	1.750 TO 2.010



MAAN ALUMINIUM LTD.

TEXTILE CHANNEL




SEC NO.	Amm	Bmm	Tmm	Kg/M	WEIGHT RANGE Kg/12'
3802	22.50	14.00	2.50	0.365	1.240 TO 1.430
3803	22.00	12.00	1.50	0.216	0.730 TO 0.840
3803/L	20.50	12.00	1.00	0.145	0.460 TO 0.650
3805	38.00	38.00	1.75	0.631	2.150 TO 2.470
3806	37.00	37.00	1.60	0.525	1.790 TO 2.050
3810	15.00	8.00	1.00	0.099	0.340 TO 0.390
3812	17.50	17.50	1.20	0.196	0.670 TO 0.770



MAAN ALUMINIUM LTD.

DOUBLE GLASS CHANNEL




SEC NO.	Amm	Bmm	Tmm	Kg/M	WEIGHT RANGE Kg/12'
3501	21.40	10.00	1.00	0.125	0.420 TO 0.490
3503	21.00	10.00	0.70	0.093	0.310 TO 0.360
3504	22.00	10.00	0.80	0.107	0.360 TO 0.420
3506	22.00	11.00	1.00	0.140	0.480 TO 0.550
3509	27.80	15.00	0.60	0.115	0.390 TO 0.450
3511	30.00	13.00	1.20	0.216	0.730 TO 0.840



MAAN ALUMINIUM LTD.

CHANNELS UNEQUAL THICKNESS



SEC.NO.	Amm	Bmm	Tmm	tmm	Kg/M	WEIGHT RANGE Kg/12'
3300	8.50	9.00	1.25	1.25	0.085	0.290 TO 0.330
3303	32.00	3.50	1.20	1.50	0.143	0.490 TO 0.560
3304	58.00	40.00	15.00	10.00	3.995	13.590 TO 15.640




MAAN ALUMINIUM LTD.

SPL CHANNEL


MAAN SEC.-3807

0.125 Kg/Mtr.




MAAN SEC.-3809

0.216 Kg/Mtr.




MAAN SEC.-3811

0.380 Kg/Mtr.




MAAN SEC.-3813

0.331 Kg/Mtr.



MAAN SEC.-3814

2.489 Kg/Mtr.






MAAN ALUMINIUM LTD.

SPL CHANNEL


MAAN SEC.-3401

2.122 Kg/Mtr.




MAAN SEC.-3403

0.074 Kg/Mtr.




MAAN SEC.-3404

2.588 Kg/Mtr.



MAAN SEC.-3406


2.871 Kg/Mtr.





MAAN SEC.-89855

0.126 Kg/Mtr.




RELOCK CHANNEL

WEIGHT RANGE :- 0.425 TO 0.500 Kg/12'

MAAN SEC.-89832


0.127 Kg/Mtr.



WEIGHT RANGE :- 0.450 TO 0.500 Kg/12'

MAAN SEC.-89832/L

0.090 Kg/Mtr.




WEIGHT RANGE :- 0.310 TO 0.340 Kg/12'



MAAN ALUMINIUM LTD.

CHANNELS UNEQUAL THICKNESS WITH RADIUS



SEC.NO.	Amm	Bmm	Tmm	tmm	Rmm	Kg/M	WEIGHT RANGE Kg/12'
3402	50.80	31.75	6.60	4.32	3.81	1.592	5.420 TO 6.230
3407	50.80	25.40	3.30	3.30	2.54	0.858	2.920 TO 3.360
3408	76.20	44.45	6.60	4.32	6.35	2.370	8.060 TO 9.280
3409	101.60	50.80	5.84	3.81	6.35	2.579	8.770 TO 10.090
3412	96.00	31.00	7.00	7.00	5.00	2.755	9.370 TO 10.780
3413	127.00	48.00	6.00	6.00	4.00	3.436	11.690 TO 13.450